

表1 底質調査結果(H16年8月5日)

St.	泥中温度 °C	pH	酸化還元 電位 (mv)	水分 (%)	COD * 1	AVS * 2	TC * 2	TN * 2	C/N比	OC * 2
St.1 田杭	24.7	7.43	-200	74.1	53.9	2.33	57.1	3.3	17.2	21.5
St.2 塩屋	25.4	7.52	-300	71.5	60.0	4.33	45.8	3.6	12.9	30.8
St.3 迫子	25.2	7.60	-340	74.7	67.0	2.13	51.5	4.0	12.7	32.7
St.4 知ノホリ	25.5	7.57	-200	60.0	29.2	0.32	64.3	2.1	30.2	18.5
St.5 間崎	25.3	7.60	-140	61.0	21.8	0.19	56.4	1.9	29.2	18.0
St.6 ヒオウキ 荘前	25.8	7.60	-320	70.7	66.0	3.66	59.6	4.1	14.7	31.8
St.7 鵜方	25.7	7.58	-240	63.0	46.5	0.45	47.3	2.5	19.1	21.5
St.8 宝生苑前	25.2	7.62	-160	68.6	39.3	0.57	52.6	2.7	19.4	22.8
St.9 神明奥	25.5	7.72	-320	72.9	50.5	2.21	43.9	3.0	14.6	26.8
St.10 宮ヶ崎	25.7	7.62	-300	73.6	69.5	3.03	66.9	5.2	12.8	42.2
St.11 又吉前	25.3	7.50	-340	71.1	63.6	2.51	55.1	4.3	12.8	34.3
St.12 立神	25.1	7.56	-300	66.9	42.1	0.87	41.7	2.6	16.1	22.8
St.13 半女	25.6	7.70	-280	68.8	46.6	1.16	53.9	3.3	16.1	27.7
St.14 船越	26.7	7.72	-50	45.6	20.1	0.28	44.2	1.1	39.1	11.5
St.15 片田	25.8	7.55	-300	67.8	46.7	1.06	43.7	3.3	13.3	30.6
St.16 布施田	25.5	7.56	-260	67.5	46.8	0.92	57.3	3.7	15.5	29.9
St.17 和具	25.9	7.50	-260	66.9	46.8	0.80	61.1	3.3	18.3	28.6
St.18 越賀	26.5	7.59	-130	51.5	22.1	0.49	63.1	1.6	40.4	12.5
St.19 イカ浦	25.9	7.54	-200	57.1	36.2	0.53	72.7	2.5	29.2	25.7
St.20 御座	25.8	7.62	-50	38.5	5.6	0.03	90.9	0.5	195.8	4.9